

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 22-12-2009 Revision date: 8-5-2019 Supersedes: 4-5-2016 Version: 4.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Embalit P

Product code : ELEMBP

Type of product : Biocide

Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Wood Preservative

Title	Life cycle stage	Use descriptors
Embalit P	Professional	PC8, PROC7, PROC10, PROC11, PROC13

Full text of use descriptors: see section 16

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Hoetmer b.v.

Nijverheidstraat 12 - Postbus 1 NL-3300 AA Dordrecht - Nederland T +31-78-6350720 - F +31-78-6133029

hoetmerbv@hoetmer.com

#### 1.4. Emergency telephone number

Emergency number : +31-78-6350720 (During office hours 8:30 to 17:00 pm)

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom		Dudley Road B18 7QH Birmingham	0344 892 0111	

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Hazardous ingredients : propiconazole(ISO); (±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H—

1,2,4-triazole

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P391 - Collect spillage.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB)	(CAS-No.) 34590-94-8 (EC-No.) 252-104-2 (REACH-no) 01-2119450011-60	30 - 50	Not classified
propiconazole(ISO); (±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H—1,2,4-triazole	(CAS-No.) 60207-90-1 (EC-No.) 262-104-4 (EC Index-No.) 613-205-00-0	5 - 10	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

: Allow affected person to breathe fresh air. Allow the victim to rest. Seek medical attention if ill effect or irritation develops.

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Repeated exposure may cause skin dryness or cracking. Seek medical attention if ill effect or irritation develops. Wash contaminated clothing before

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

# 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

: Keep public away from danger area. Wear personal protective equipment. General measures

### 6.1.1. For non-emergency personnel

**Emergency procedures** : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

**Emergency procedures** : Ventilate area.

# 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

8-5-2019 (Version: 4.0) 2/10 EN (English)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Store away from other materials.

#### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

: Restricted to professional users.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

Incompatible products

: Comply with applicable regulations.

Storage conditions

: Keep only in the original container in a cool, well-ventilated place. Keep container closed

when not in use. Keep away from oxidizing agents.

: Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

propiconazole(ISO); (±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H—1,2,4-triazole (60207-90-1)			
EU IOELV TWA (mg/m³) 8 mg/m³ (8 hour TWA, source SYNGENTA)			
Germany TRGS 910 Acceptable concentration notes			

(2-methoxymethylethoxy)propanol (34590-94-8)			
EU	Local name	(2-Methoxymethylethoxy)-propanol	
EU	IOELV TWA (mg/m³)	308 mg/m³	
EU	IOELV TWA (ppm)	50 ppm	
EU	Notes	Skin	
EU	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Germany	TRGS 910 Acceptable concentration notes		
United Kingdom	Local name	(2-methoxymethylethoxy) propanol	
United Kingdom	WEL TWA (mg/m³)	308 mg/m³	
United Kingdom	WEL TWA (ppm)	50 ppm	
United Kingdom	WEL STEL (mg/m³)	924 mg/m³ (calculated)	
United Kingdom	WEL STEL (ppm)	150 ppm (calculated)	
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE	

## (2-methoxymethylethoxy)propanol (34590-94-8)

### **DNEL/DMEL (Workers)**

Long-term - systemic effects, dermal 283 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	308 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	36 mg/kg bodyweight/day
Long-term - systemic effects, inhalation 37,2 mg/m³	
Long-term - systemic effects, dermal	121 mg/kg bodyweight/day

8-5-2019 (Version: 4.0) EN (English) 3/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(2-methoxymethylethoxy)propanol (34590-94-8)		
PNEC (Water)		
19 mg/l		
1,9 mg/l		
PNEC aqua (intermittent, freshwater) 190 mg/l		
PNEC (Sediment)		
70,2 mg/kg bw		
7,02 mg/kg bw		
PNEC (Soil)		
PNEC soil 2,74 mg/kg bw		
PNEC (STP)		
4,168 g/l		

#### 8.2. Exposure controls

### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

#### Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): e.g. nitrile rubber (>=0.4 mm), butyl rubber (>=0.7 mm) and others. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves must be replaced after each use and whenever signs of wear or perforation appear

### Eye protection:

Wear eye glasses with side protection according to EN 166.

#### Skin and body protection:

Wear suitable protective clothing. Apron. boots made of natural rubber. Standard. EN 13034

### Respiratory protection:

Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values. Wear respiratory protection when in the presence of vapour, dust, and aerosols. Wear a respirator conforming to EN140 with Type A/P2 filter or better

# Personal protective equipment symbol(s):







#### Other information:

Do not eat, drink or smoke during use. Always wash your hands immediately after handling this product, and once again before leaving the workplace.

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. light orange.

Odour : characteristic.
Odour threshold : No data available

pH : 9 (20°C)

Relative evaporation rate (butylacetate=1) : No data available

Melting point : not determined

Freezing point : No data available

Boiling point : > 100 °C

Flash point : > 120 °C

Auto-ignition temperature : 207 °C

Decomposition temperature : No data available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flammability (solid, gas) : Non flammable.

Vapour pressure : 0,4 hPa (20°C)

Relative vapour density at 20 °C :>=

Relative density : No data available

Density : 1,0244 g/cm³ (20°C)

Solubility : Water: completely miscible

Log Pow : No data available
Viscosity, kinematic : 63,452 mm²/s
Viscosity, dynamic : 65 mPa·s (20°C)
Explosive properties : Product is not explosive.
Oxidising properties : No data available
Explosive limits : 1,1 - 14 vol %

9.2. Other information

VOC content : 31,9 %

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

propiconazole(ISO); (±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H—1,2,4-triazole (60207-90-1)		
LD50 oral rat 1517 mg/kg		
LD50 dermal rabbit > 6000 mg/kg		
LC50 inhalation rat (mg/l) 1264 mg/m³ (Exposure time: 4 h)		

(2-methoxymethylethoxy)propanol (34590-94-8)		
LD50 oral rat	5000 mg/kg	
LD50 dermal rat	19020 mg/kg	
LD50 dermal rabbit	9510 mg/kg	
LC50 inhalation rat (ppm)	275 ppm	
Skin corrosion/irritation	: Not classified	
	pH: 9 (20°C)	
Additional information	: Based on available data, the classification criteria are not met	
Serious eye damage/irritation	: Not classified	
	pH: 9 (20°C)	
Additional information	: Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Reproductive toxicity	: Not classified	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

**Embalit P** 

Viscosity, kinematic 63,452 mm<sup>2</sup>/s

Potential adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Avoid release to the environment.

Ecology - water : Toxic to aquatic life with long lasting effects.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

propiconazole(ISO); (±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H—1,2,4-triazole (60207-90-1)		
LC50 fishes 6,8 mg/l Cyprinus carpio (Carp)		
EC50 Daphnia 10,2 mg/l EC50 48h - Daphnia magna [mg/l]		
ErC50 (algae) 0,76 mg/l Scenedesmus subspicatus		

(2-methoxymethylethoxy)propanol (34590-94-8)	
LC50 fishes 1 - 10 g/l	
EC50 Daphnia	1 - 1,919 g/l
EC50 72h algae (1)	969 mg/l

### 12.2. Persistence and degradability

### **Embalit P**

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Embalit P

Bioaccumulative potential Not established.

# (2-methoxymethylethoxy)propanol (34590-94-8)

Log Pow 0,004 - 0,35 (25 °C)

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Other adverse effects

Additional information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

European List of Waste (LoW) code : 06 13 01\* - inorganic plant protection products, wood-preserving agents and other biocides

# **SECTION 14:** Transport information

In accordance with ADN / ADR / IATA / IMDG / RID

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (propiconazole(ISO); (±) 1- [2-(2,4-dichlorophenyl)-4- propyl-1,3-dioxolan-2- ylmethyl]-1H—1,2,4- triazole), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (propiconazole(ISO); (±) 1- [2-(2,4-dichlorophenyl)-4- propyl-1,3-dioxolan-2- ylmethyl]-1H—1,2,4- triazole), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (propiconazole(ISO); (±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H—1,2,4-triazole), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (propiconazole(ISO); (±) 1- [2-(2,4-dichlorophenyl)-4- propyl-1,3-dioxolan-2- ylmethyl]-1H—1,2,4- triazole), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (propiconazole(ISO); (±) 1- [2-(2,4-dichlorophenyl)-4- propyl-1,3-dioxolan-2- ylmethyl]-1H—1,2,4- triazole), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				
14.6. Special procautions for user				

# 14.6. Special precautions for user

## Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13

Hazard identification number (Kemler No.) : 90

8-5-2019 (Version: 4.0) EN (English) 7/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates : 90

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP2, TP29

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

Stowage category (IMDG) : A

MFAG-No : 171

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, : CW13, CW31

unloading and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Embalit P - propiconazole(ISO); (±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H—1,2,4-triazole	
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Embalit P - propiconazole(ISO); (±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H—1,2,4-triazole	
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Embalit P - propiconazole(ISO); (±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H—1,2,4-triazole	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

VOC content : 31,9 %

Type of product (Biocide) : 8 - Wood preservatives

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

#### **SECTION 16: Other information** Indication of changes: Section Changed item Change Comments Supersedes Modified Revision date Modified SDS EU format Modified 2.2 Precautionary statements (CLP) Modified 7.2 Precautionary statements (CLP) Modified 8.2 Hand protection Modified REACH Annex XVII Modified 15.1 Modified 16 Data sources 16 Abbreviations and acronyms Added Abbreviations and acronyms: ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways **ADR** European Agreement concerning the International Carriage of Dangerous Goods by Road ATE Acute Toxicity Estimate **BCF** Bioconcentration factor CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 Derived Minimal Effect level **DMEL** DNEL Derived-No Effect Level Median effective concentration EC50

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
vPvB	Very Persistent and Very Bioaccumulative	
	•	

Data sources Other information : ECHA (European Chemicals Agency).

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H- and EUH-statements:				
Acute Tox. 4 (Oral)	Acute toxicity	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Skin Sens. 1	Skin sensitisa	Skin sensitisation, Category 1		
H302	Harmful if swa	Harmful if swallowed.		
H317	May cause ar	May cause an allergic skin reaction.		
H400	Very toxic to	Very toxic to aquatic life.		
H410	Very toxic to	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aqua	Toxic to aquatic life with long lasting effects.		
Full text of use descriptors				
PC8	Biocidal prod	Biocidal products (e.g. Disinfectants, pest control)		
PROC10	Roller applica	Roller application or brushing		
PROC11	Non-industria	Non-industrial spraying		
PROC13	Treatment of	Treatment of articles by dipping and pouring		
PROC7	Industrial spra	Industrial spraying		
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Skin Sens. 1	H317	Calculation method		
Aquatic Chronic 2	H411	Calculation method		

### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.